



DEPARTMENT OF NUCLEAR TECHNOLOGY, FACULTY OF ENGINEERING
CHULALONGKORN UNIVERSITY
PHAYATHAI ROAD, BANGKOK 10330, THAILAND
TEL: (662) 218-6772, (662) 218-6781. FAX: (662) 218-6770

THAI - CANADIAN

NUCLEAR HUMAN RESOURCES DEVELOPMENT

LINKAGE PROJECT

TRAINING PROGRAM

REACTOR THERMALHYDRAULIC DESIGN

REFERENCE TEXT

written by:

Dr. William J. Garland
McMaster University, Ontario, Canada

SPONSORED BY:

ATOMIC ENERGY OF CANADA LIMITED
CANADIAN INTERNATIONAL DEVELOPMENT AGENCY
ELECTRICITY GENERATING AUTHORITY OF THAILAND
OFFICE OF ATOMIC ENERGY FOR PEACE

Table of Contents

Forward	ii
Glossary of Abbreviations and Acronyms	iii
List of Figures.....	v
Chapter 1 Introduction	1-1
Chapter 2 Design Requirements and Engineering Considerations.....	2-1
2.1 Introduction	2-1
2.2 Basic Neutron Cycle	2-2
2.3 Possible Fuels	2-3
2.4 Heat Transfer Considerations	2-4
2.5 Uranium Fuel Forms	2-5
2.6 Fuel Claddings.....	2-7
2.7 Reactor Coolants.....	2-9
2.8 Neutron Moderators	2-11
2.9 Moderating Arrangements.....	2-13
2.10 HTS Design Requirements and Engineering Considerations.....	2-14
2.11 Power Reactor Types	2-18
2.11.1 “Magnox” Reactors	2-18
2.11.2 AGR.....	2-18
2.11.3 HTGCR.....	2-19
2.11.4 PWR.....	2-20
2.11.5 BWR	2-22
2.11.6 LMFBR.....	2-23
2.11.7 CANDU	2-25
2.11.8 CANDU-PHW.....	2-26
2.11.9 CANDU-BLW.....	2-29
2.11.10 CANDU-OCR	2-29
2.11.11 A Comparison Between CANDU Reactors and Other Types.....	2-31
Chapter 3 Heat Transport System Thermalhydraulics.....	3-1
3.1 Introduction	3-1
3.2 Reactor Heat Balance.....	3-1
3.3 Steam Generator Heat Transfer	3-2
3.4 Primary Side Flow	3-4
3.5 Secondary Side Flow	3-4
3.6 Approximate Solution	3-5
3.7 Sample Heat Balance for CANDU 600	3-7
3.8 Steam Generator with Preheater: Simple Analytical Solution	3-10
3.9 Steam Generator with Preheater: Numerical Solution.....	3-16
3.10 Summary	3-18
Chapter 4 Thermodynamics	4-1
4.1 Introduction	4-1

4.2	Work.....	4-1
4.3	First Law of Thermodynamics	4-2
4.4	Enthalpy, h.....	4.2
4.5	Energy Equation	4-3
4.6	The Carnot Cycle	4-5
4.7	Entropy	4-6
4.8	Reactor Power Cycle.....	4-8
4.9	Raising Boiler Pressure	4-10
4.10	Superheat	4-11
4.11	Reheat.....	4-12
4.12	Regeneration.....	4-13
Chapter 5	Fuel – Coolant Heat Transfer	5-1
5.1	Introduction	5-1
5.2	General Heat Conduction Equation	5-1
5.3	Radial Heat Transfer	5-2
5.3.1	Fuel Meat	5-2
5.3.2	Gap	5-2
5.3.3	Clad.....	5-4
5.3.4	Coolant.....	5-4
5.3.5	Overall Temperature Difference	5-5
5.4	General Thermal Energy Equation	5-6
5.5	Axial Temperature Distribution.....	5-7
5.6	Axial Quality Distribution.....	5-9
5.7	Critical Heat Flux.....	5-9
5.8	Summary	5-11
Chapter 6	Control.....	6-1
6.1	Introduction	6-1
6.2	Boiler Pressure Contoller	6-6
6.3	Boiler Level Controller	6-6
6.4	Unit Power Regulator.....	6-6
6.5	Demand Power Routine	6-7
6.6	Reactor Regulating System	6-7
6.7	Pressure and Inventory Control	6-9
6.8	Safety System Control.....	6-9
Chapter 7	The Design Process.....	7-1
7.1	Introduction	7-1
7.2	Interaction with other Groups.....	7-5
7.3	Design Documents	7-8
7.4	Design Tools – Overview.....	7-8
7.5	Quality Assurance.....	7-10
Chapter 8	Process Design and Optimization	8-1
8.1	Introduction	8-1

8.2	Primary Heat Transport System.....	8-1
8.3	Steam Generators.....	8-3
8.4	Heat Transport Pumps.....	8-3
8.5	Reactor Core Design.....	8-7
8.6	Reduction in Radiation Exposure.....	8-8
8.7	Nuclear Power Demonstration Station, NPD.....	8-9
8.8	Douglas Point.....	8-11
8.9	Pickering A and B.....	8-11
8.10	Bruce A and B.....	8-11
8.11	CANDU 6.....	8-16
8.12	Darlington A.....	8-16
8.13	The Future.....	8-18
Appendix 1	Comparison of Bruce A, Bruce B and Darlington.....	A-1
1.1	Introduction.....	A-1
1.2	The two zone design decision.....	A-1
1.3	Ramifications of the two-zone system.....	A-1
1.4	Boiler size considerations.....	A-2
1.5	One vs. two loops.....	A-2
1.6	Process optimization.....	A-3
1.7	Boosters vs. adjustors.....	A-3
1.8	Magnetic filters.....	A-3
1.9	Process control.....	A-3
1.10	Separate vs. common steam drum.....	A-3
1.11	Seismic consideration.....	A-3
1.12	Critical heat flux.....	A-4
1.13	Differences between Bruce A and Bruce B.....	A-4

Figures

1.1	Schematic diagram for a reactor power cycle [Source: Rust figure 2.7].....	1-3
1.2	Simplified diagram of a pressurized water reactor system [Source: Rust figure 1.1].....	1-3
1.3	Course overview.....	1-4
2.1	Basic power reactor schematic arrangement.....	2-1
2.2	The basic neutron cycle	2-2
2.3	Tradeoff between heat transfer and neutron absorption	2-4
2.4	Basic reactor fuel arrangement.....	2-5
2.5	Moderating arrangement.....	2-14
2.6	Schematic arrangement – Gas Cooled Reactors	2-19
2.7	Schematic arrangement PWR	2-21
2.8	Schematic arrangement BWR.....	2-22
2.9	Schematic arrangement LMFBR.....	2-24
2.10	CANDU PWR schematic.....	2-28
2.11	Simplified station flow diagram – CANDU BLW	2-30
3.1	HTS simplified schematic.....	3-1
3.2	Steam Generator Temperature Distribution.....	3-2
3.3	Simplified Steam Generator Temperature Distribution.....	3-3
3.4	Circuit Losses and Pump Head vs. Flow	3-4
3.5	Temperature Variations	3-6
3.6	Flow Chart for HTS Calculations.....	3-9
3.7	Steam Generator Temperature Distribution.....	3-10
3.8	Variation of feedwater temperature with power	3-11
3.9	Temperature profile as a function of power.....	3-15
3.10	Heat duty diagram: heat flow in segment dz.....	3-16
3.11	Heat flow in segment dz	3-16
4.1	A simple systems for doing work.....	4-1
4.2	P \square diagram.....	4-1
4.3	Steady flow process [Source: SEA75, figure 3-13]	4-4
4.4	Schematic flow diagram of a heat engine [Source; SEA75, figure 4-7]	4-5
4.5	The Carnot cycle [Source SEA75, figure 4.6]	4-5
4.6	Any arbitrary reversible cyclic process can be approximated by a number of small Carnot cycles. [Source: SEA75, figure 5-3]	4-6
4.7	T-v diagram for the Carnot cycle	4-6
4.8	The temperature-entropy diagram for the Carnot cycle [SEA75, figure 5-4].....	4-7
4.9	Schematic diagram for a reactor power cycle [Source: RUS79, figure 2.7].....	4-8
4.10	T-s and h-s diagram representations for the Rankin cycles. Note: We are assuming fluid velocities are zero; ie the diagram illustrates stagnation properties. [Source: RUS79, figure 2.11].....	4-9
4.11	Effects of increasing boiler pressure on the Rankin cycle [Source: RUS79, figure 2.13].....	4-10
4.12	Rankin cycle with superheat [Source: RUS79, figure 2.14].....	4-11
4.13	Rankin cycle with reheat [Source: RUS79, figure 2.15]	4-12
4.14	Schematic diagram of a power plant with ideal regeneration [Source: RUS79, figure 2.17].....	4-13

4.15	Single heater regenerative cycle [Source: RUS79, figure 2.18]	4-13
5.1	Radial fuel pin geometry [Source: DUD76, figure 12-3]	5-2
5.2	Heat flux vs. ΔT for pool-boiling transfer [Source: DUD76, figure 12-9]	5-5
5.3	Axial energy balance	5-7
5.4	Axial temperature profile [Source: DUD76, figure 12-8]	5-8
5.5	CHF and CPR.....	5-10
6.1	Simplified schematic with the main control elements.....	6-3
6.2	Overall plant control – block diagram for a CANDU 600 [Source: unknown]...	6-4
6.3	Heat transport system swell accommodated by the pressurizer for a typical CANDU 600.....	6-5
6.4	Typical CANDU 600 Reactor Regulating System Block Diagram [Source: unknown]	6-8
7.1	General interaction process.....	7-3
7.2	Details of the interaction process	7-4
7.3	Optimization Scheme	7-11
7.4	NUCIRC interaction.....	7-12
8.1	NPD main PHT circulating system.....	8-10
8.2	Douglas Point PHT main circulating system	8-12
8.3	Pickering PHT circulating system.....	8-13
8.4	Bruce heat transport system	8-14
8.5	Steam generators – relative sizes.....	8-15
8.6	CANDU 6 heat transport system [Source: CAN95].....	8-17
A1.1	Bruce heat duty diagram	A-7

Tables

2.1	Forms of uranium in power reactor fuel	2-6
2.2	Desirable fuel material properties	2-6
2.3	Alternative fuel cladding materials	2-7
2.4	Desirable cladding properties.....	2-8
2.5	Alternative power reactor coolants.....	2-9
2.6	Desirable features of reactor coolants	2-9
2.7	Slowing down parameters of typical moderators [Source: DUD76, table 8-1] .	2.11
2.8	Desirable features of a moderator	2.12
2.9	Alternative power reactor moderators	2-12
8.1	PHT evolution	8-2
8.2	Steam generators	8-4
8.3	Heat transport pumps.....	8-5
8.4	Heat transport pumps.....	8-6
8.5	Heavy Water in Core per MW Thermal	8-7
8.6	MW Thermal per Meter Length of Fuel Channel (total MW thermal / total fuel channel length)	8-7
8.7	Main Process Parameters and Features.....	A-6